

CLOSETMAID®

The Storage Authority

Create your own layout brochure.

Great ideas to organise your home.



Shelving and storage products for use in your

- Wardrobe
- Kid's wardrobe
- Walk-in closet
- Laundry room
- Utility room
- Airing cupboard
- Linen cupboard
- Pantry / larder



www.organisemyhome.com

Welcome to the world of **CLOSETMAID®**.

Thank you for your enquiry; your first step towards joining the millions of highly satisfied world-wide users of **CLOSETMAID®** products.

CLOSETMAID® is the world class manufacturer of innovative, affordable, vinyl-coated steel wire shelving systems and accessories. Originally developed in the USA, **CLOSETMAID®** products are now available in the UK so that you can obtain the same quality, practicality, durability and strength that millions of Americans have come to rely on with **CLOSETMAID®**.

CLOSETMAID® are famous for wardrobe hanging & shelving systems but the products can also be used for a variety of different applications; see opposite.

The concept is simple; measure your space and choose between standard 'organiser kits' or lengths of shelving and hardware to 'create your own' storage solution. **CLOSETMAID®** products are simple to install on a DIY basis using either 'standard' or 'adjustable' fixing methods; just cut the shelving to size, follow the quick & easy fixing instructions and the result is a tailor made, cost-effective installation to suit your individual application. Installation can be arranged for those that prefer not to DIY.

This brochure will give you some ideas for designing an installation that suits your needs and makes the best use of your available space. Our website has further design ideas along with a useful on-line design service if you have access to the internet.

If there is anything with which you would like us to help, please just call, e-mail or fax us; contact details on back cover. Whatever enquiries you may have - design, practicalities, what to order for your planned project, total cost or installation services - we shall be pleased to deal with them; and will do so promptly.

We look forward to being of service to you; and to welcoming you to the ever expanding world-wide community of contented and loyal users of **CLOSETMAID®** storage products.

Yours sincerely
On behalf of **Organise My Home,**

Tom Mercer

Tom Mercer
Customer Services Manager

AN INTRODUCTION

- ▶ **Product overview** ◀ Pages 4 - 5
- ▶ **How the system works** ◀ Pages 6 - 7

WARDROBE

- ▶ **Organiser kits** ◀ Pages 8 - 9
- ▶ **Create your own** ◀ Pages 10 - 11
- ▶ **SHELF & ROD shelving** ◀ Pages 12 - 13
- ▶ **SUPERSLIDE® shelving** ◀ Pages 14 - 15
- ▶ **Kid's / adjustable SHELFTRACK®** ◀ Pages 16 - 17
- ▶ **Walk - In** ◀ Pages 18 - 19
- ▶ **Accessories** ◀ Pages 20 - 21

EVERY ROOM

- ▶ **Drawer systems**
- ▶ **Pre-pack shelving** ◀ Pages 22 - 23
- ▶ **Wall / door racks**

LAUNDRY

- ▶ **Laundry room**
- ▶ **Utility room**
- ▶ **Airing cupboard**
- ▶ **LINEN shelving** ◀ Pages 24 - 25

KITCHEN

- ▶ **Pantry / Larder**
- ▶ **CLOSEMESH shelving** ◀ Pages 26 - 27

CONTACT US

- ▶ **Contact details** ◀ Page 28

To make life easier we have divided this brochure into four sections - **WARDROBE**, **EVERY ROOM**, **LAUNDRY** & **KITCHEN** - so that you can move on to the section that best deals with your planned project .

The **CLOSETMAID®** concept is simple. Just measure your space, design a layout* to suit your needs, and choose the style of wire shelving & hardware best suited to your application.

General information to help you make your selection is provided on pages 6 & 7. If you need help to design a layout please turn to pages 10 & 11.

CLOSETMAID® products are simple to install on a DIY basis using either 'standard' or 'adjustable' fixing methods. Just cut the shelving to size, follow the quick & easy fixing instructions and the result is a tailor made, cost-effective installation to suit your individual application.



♦ If your project is a wardrobe, please review our available range of 'off the shelf' organiser kits on pages 8 & 9. Basic fixing instructions are detailed on page 7 or you can download & review full configuration & instruction details at our website before you buy. From the home page click on 'Organiser Kit Instruction Sheets' from the menu, choose the product code number that you are interested in and the requested information will be displayed in PDF format.

WARDROBE



EVERY ROOM



LAUNDRY



KITCHEN




Create more space in less time ! Four styles of shelving, two fixing methods.

CLOSETMAID® offer four different styles of wire shelving:-


▶ SHELF & ROD

For all wardrobe applications or anywhere a combination of hanging space and shelving is required.



▶ SUPERSLIDE®

For all wardrobe applications or anywhere a combination of hanging space and shelving is required. The continuous sliding action is ideal for walk-in wardrobes - hangers can even slide around corners!




▶ LINEN

For all 'shelf only' applications i.e. airing cupboard / linen cupboard / utility room / laundry room.



▶ CLOSEMESH

For all 'shelf only' applications where 'small items' need to be stored i.e. pantry / larder. **CLOSEMESH** has twice the number of deck wires compared to our other styles.



Each style is vinyl coated in white and available in lengths of:-

▶ All styles - 1.22m (4'), 1.83m (6'), 2.44m (8') or 3.66m (12')

and a variety of depths as follows:-

▶ SHELF & ROD - 25.4cm (10"), 30.5cm (12"), 40.6cm (16")

▶ SUPERSLIDE® - 30.5cm (12"), 40.6cm (16")

▶ LINEN - 22.9cm (9"), 30.5cm (12"), 40.6cm (16"), 50.8cm (20")


▶ CLOSEMESH - 30.5cm (12"), 40.6cm (16"), 50.8cm (20")

All styles of shelving can be easily cut to length using a hacksaw or bolt cutters and installed using either our 'standard' or 'adjustable' fixing methods.

▶ Standard - for permanent installation of all shelving styles

Five easy steps to install:-

- ▶ Select your shelf style and use wall clips to attach the rear edge of the shelf to the back wall
- ▶ Wall brackets attach shelving to side walls. The type of bracket required depends on the style of shelving to be installed
- ▶ Shelf support brackets are required every 91.5cm (3') to provide additional support. They are also used for 'open-end' installations i.e. those not ending at a wall (see illustration on page 11)
- ▶ Shelf support poles are used to install a stack of three or more shelves OR to support the end of shelves not attached to a side wall as an alternative to shelf support brackets
- ▶ Add hanger bar where required - **SHELF & ROD** has an integral hanger bar **SUPERSLIDE®** hanger bar has to be attached separately




▶ Adjustable / SHELFTRACK™ - fast, easy adjustability

CLOSEMESH, LINEN* or SUPERSLIDE® shelving can be used with the SHELFTRACK™ system.

Five easy steps to install:-

- ▶ Level and fix the horizontal 'hang track' at the top of the wall
- ▶ Hang vertical 'standards' on the hang track no more 10cm / 4" from the end of the shelf and no more than 61cm / 24" apart
- ▶ Slot shelf 'brackets' into the 'standards'
- ▶ Add shelving of your choice (not **SHELF & ROD**)
- ▶ Add hanger bar where required (**SUPERSLIDE®** only)



*not 22.9cm (9") depth

The quickest & easiest way to organise your wardrobe is to choose one or more of our DIY organiser kits. Just measure the width of your space & select a layout from the range below. Each kit can be cut down to fit your exact space & comes complete with everything you need.



▲ **1605** Up to 1.52m / 5' wide
SHELF & ROD creates up to:-
1.98m / 6.5' of hanging space
3.35m / 11' of storage shelf



▲ **1608** 1.52m / 5' to 2.44m / 8' wide
SHELF & ROD creates up to:-
2.74m / 9' of hanging space
5.79m / 19' of storage shelf space
0.91m / 3' of shoe storage space



▲ **1610** 2.44m / 8' to 3.05m / 10' wide
SHELF & ROD creates up to:-
3.66m / 12' of hanging space
7.32m / 24' of storage shelf space
1.22m / 4' of shoe storage space



▲ **2108** 1.52m / 5' to 2.44m / 8' wide
SHELF & ROD creates up to:-
2.74m / 9' of hanging space
4.57m / 15' of storage shelf space



▲ **2110** 2.44m / 8' to 3.05m / 10' wide
SHELF & ROD creates up to:-
3.66m / 12' of hanging space
5.49m / 18' of storage shelf space



▲ **2889** Up to 1.22m / 4' wide
SUPERSLIDE & S/TRACK creates up to:-
2.44m / 8' of adjustable hanging space
2.44m / 8' of adjustable shelf space



▲ **1628** 1.52m / 5' to 2.44m / 8' wide
SHELF & ROD creates up to:-
3.20m / 10.5' of hanging space
4.11m / 13.5' of storage shelf space



▲ **1640** Up to 1.52m / 5' wide
SHELF & ROD creates up to:-
2.13m / 7' of hanging space
2.13m / 7' of storage shelf space



▲ **2105** Up to 1.52m / 5' wide
SHELF & ROD creates up to:-
2.44m / 8' of hanging space
2.44m / 8' of storage shelf space



▲ **2890** Up to 2.44m / 8' wide
SUPERSLIDE & S/TRACK creates up to:-
3.35m / 11' of adjustable hanging space
6.10m / 20' of adjustable shelf space



▲ **5636** 1.52m / 5' to 2.44m / 8' wide
SUPERSLIDE creates up to:-
2.74m / 9' of hanging space
4.57m / 15' of storage shelf space



▲ **5664** 1.52m / 5' to 2.44m / 8' wide
SUPERSLIDE creates up to:-
3.96m / 13' of hanging space
3.96m / 13' of storage shelf space

Bring a breath of fresh air to your wardrobe with ventilated wire shelving products & allow your clothes to 'breathe'. Wire shelving is vinyl coated, maintenance free & less expensive than traditional wood products.

In addition to being easy to install, CLOSETMAID® shelving and accessories give you the flexibility to create your own custom storage solutions for just about any space. To get started with a layout please see the following 7 step guide.


Step 1 - Measure your space - measure your space from side to side (width), floor to ceiling (height), and front to back (depth). Note the position of any possible obstacles e.g. sockets, switches, pipes, doors, windows etc. that may affect the installation.

Step 2 - Design your layout - think about how much space you will need for:-

- ▶ Long garments (long hanging)
- ▶ Short garments (double hanging or two tier)
- ▶ Stacking items (sweaters, t-shirts etc.)
- ▶ Shoe storage
- ▶ Small items requiring drawer space
- ▶ Shelf space for other items

At our website <http://www.organisemyhome.com> you can view design ideas / layouts in the 'ClosetMaid Gallery' or use the 'Get a Custom Design' facility to create your own design using the Visual Storage Planner on-line software or request a free design using our in house Design Service.

For wardrobe applications you will likely need more 'double hanging / two tier' than 'long hanging' so please review the layout & spacing guide below and note the vertical position of hanging levels whilst considering how they will fit into your available space.



1 Double hanging or two tier

Install two levels of shelving to hang smaller items such as blouses and shirts. One shelf should be fixed at 2.13m (84") & the other at 1.07m (42") above the floor.

2 Long hanging

Install a single level to hang long items such as dresses or long coats. Fix shelf at 1.78m (70") min. above the floor.

3 Shelf stack


Create additional shelving for items that don't hang & boxes etc. Space shelves at least 35.5cm (14") apart.

All styles of CLOSETMAID® shelving require the back wall to be perpendicular. Fixing to angled back walls is not recommended. However, fixing to angled side walls maybe possible - please ask about the special hardware required when ordering.

Check that any door(s) will open/close once your shelving is installed and ensure that there is sufficient depth to accommodate any hanging garments. The recommended wardrobe enclosure depth is 56 - 60cm (22 - 24") but 51cm (20") is workable using a 25.4cm (10") hang position.

Step 3 - Configuration


CLOSETMAID® shelving can be configured in three ways as illustrated to the right. Consider which configuration will be required for each of the shelves in your chosen layout.



Shoe shelves can easily be created using LINEN shelving turned upside down, fixed to the wall using wall clips and then supported at an angle to the wall by two or more shoe shelf supports. Either the 30.5cm (12") or the 40.6cm (16") depth of shelf can be used but the latter is recommended for shoes larger than size 10.



Step 4 - Choose your shelf style - choose one of the four styles of CLOSETMAID® wire shelving best suited to your application - see the guide on page 6. Details of each style can be found later in this brochure to help you choose the depth and lengths of shelving required for your project. The differences between the two 'wardrobe' shelving products - SHELF & ROD & SUPERSLIDE® - are shown below:-



Step 5 - Select hardware required - decide which items of hardware you will need to fix your layout and calculate quantities. Hardware guides are provided within the pages applicable to your chosen shelf style. You can choose between the standard fixing method and the adjustable *SHELFTRACK™ fixing method.
 * not suitable for SHELF & ROD

Step 6 - Buy - CLOSETMAID® products are supplied directly to your home. Simply complete the enclosed order form, send it off and sit back! Your order will normally be delivered within ten working days - and we will even agree a convenient delivery date with you so you don't waste any time!

Step 7 - Install - CLOSETMAID® wardrobe systems are easily installed yourself and come complete with a comprehensive installation guide. But if DIY is not your style just ask about our installation service.


SHELF & ROD for all wardrobe applications.
Installs quickly and easily using the standard fix method.

Standard fixing method

	<p>Wall clip - 991 Use to fix the rear edge of the shelf to the wall. Position a clip 5cm (2") from each end of shelf, then additional clips evenly spaced no more than 30.5cm (12") apart</p>
	<p>Wall bracket - 974 Use to attach the shelf to a side wall</p>
	<p>Shelf support bracket 1162 - 25.4cm (10") Use with 7316 & 7304 1164 - 30.5cm (12") Use with 7300 & 7305 Use to support the shelf every 91.5cm (3') along its length & at the end of any shelf not attached to a side wall ('open end'). Hang bar position determines size of bracket req'd</p>
	<p>Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 25.4cm (10") / 30.5cm (12") deep shelf 10 per 40.6cm (16") deep shelf</p>
	<p>Open end cap - 168 Use in place of 2 plastic end caps wherever you have an 'open end'</p>
	<p>Shelf support pole - 1009 Use to install a stack of 3 or more shelves OR to support the end of shelves not attached to a side wall as an alternative to shelf support brackets. Pole is 2.16m (85") long and supplied with hardware for six shelf positions</p>
	<p>Joiner plate - 1003 Use to join two lengths of shelf together</p>
	<p>Shoe shelf support - 923 Position a support 5cm (2") from each end of shelf, then additional supports evenly spaced no more than 91.5cm (36") apart.</p>



SHELF & ROD layout with centre shelf stack & shoe shelf



SHELF & ROD 25.4cm (10") deep
73164 - 1.22m (4') length
73166 - 1.83m (6') length
73168 - 2.44m (8') length
731612 - 3.66m (12') length
Hang bar 25.4cm (10") from back wall

SHELF & ROD 30.5cm (12") deep
73004 - 1.22m (4') length
73006 - 1.83m (6') length
73008 - 2.44m (8') length
730012 - 3.66m (12') length
Hang bar 30.5cm (12") from back wall

SHELF & ROD 40.6cm (16") deep
73044 - 1.22m (4') length
73046 - 1.83m (6') length
73048 - 2.44m (8') length
730412 - 3.66m (12') length
Hang bar 25.4cm (10") from back wall

SHELF & ROD 40.6cm (16") deep
73054 - 1.22m (4') length
73056 - 1.83m (6') length
73058 - 2.44m (8') length
730512 - 3.66m (12') length
Hang bar 30.5cm (12") from back wall






SHELF & ROD layout with drawer systems

SUPERSLIDE® for all wardrobe applications.
Installs using standard or SHELFTRACK™ hardware.



Standard fixing method	Standard fixing method
 <p>Wall clip - 991 Use to fix the rear edge of the shelf to the wall. Position a clip 5cm (2") from each end of shelf, then additional clips evenly spaced no more than 30.5cm (12") apart.</p>	 <p>SUPERSLIDE® hanger bar 2056 - 91.5cm (3') 2057 - 1.22m (4') 2058 - 1.83m (6') 2059 - 2.44m (8') 2012 - 3.66m (12')</p>
 <p>Wall bracket - 974 Use to attach the 40.6cm/16" deep shelf to a side wall. Also used to attach the 30.5cm/12" shelving with no hanger bar</p>	 <p>SUPERSLIDE® h/bar support - 5647 Use to attach hanger bar to shelf. Use 1 every 91.5cm (3') and at ends of shelves not attached to side walls (open ends).</p>
 <p>SUPERSLIDE® wall bracket - 980 Use to attach a 30.5cm/12" deep SUPERSLIDE® shelf to a side wall when a SUPERSLIDE® hanger bar is being used.</p>	 <p>SUPERSLIDE® h/bar end cap set - 5638 Set of 4 - 2 internal & 2 external caps.</p>
 <p>Shelf support bracket 1164 - 30.5cm (12") 1166 - 40.6cm (16")* Use to support the shelf every 91.5cm (3') along its length & at the end of any shelf not attached to a side wall (open end) * use 1164 with 40.6cm (16") deep shelf when using hanger bar to allow hangers to pass without interruption.</p>	 <p>SUPERSLIDE® h/bar connector - 2085 Use to join two lengths of hanger bar together.</p>
 <p>Shelf support pole - 1009 Use to install a stack of 3 or more shelves OR to support the end of shelves not attached to a side wall as an alternative to shelf support brackets. Pole is 2.16m (85") long and supplied with hardware for six shelf positions.</p>	 <p>SUPERSLIDE® h/ bar wall bracket - 6810 Use to attach SUPERSLIDE® hanger bar to side wall when using 40.6cm/16" deep shelving</p>
 <p>Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 30.5cm (12") deep shelf 12 per 40.6cm(16") deep shelf.</p>	 <p>Joiner plate - 1003 Use to join two lengths of shelf together.</p>
	 <p>Shoe shelf support - 923 Position a support 5cm (2") from each end of shelf, then additional supports evenly spaced no more than 91.5cm (36") apart.</p>

SUPERSLIDE 30.5cm (12") deep	SUPERSLIDE 40.6cm (16") deep
 <p>47194 - 1.22m (4') length 47196 - 1.83m (6') length 47198 - 2.44m (8') length 471912 - 3.66m (12') length Hang bar position is 30.5cm (12") from back wall when hanger bar is used.</p>	 <p>56704 - 1.22m (4') length 56706 - 1.83m (6') length 56708 - 2.44m (8') length 567012 - 3.66m (12') length Hang bar position is 25.4cm (10") or 30.5cm (12") from back wall when hanger bar is used. Shelf will accommodate either position.</p>




SUPERSLIDE® wardrobe with central stack & shoe shelves



SHELFTRACK™ the adjustable, strong storage system.
Ideal for kid's wardrobes. Takes care of 'growing' needs!

SHELF TRACK

Adjustable **SHELFTRACK™** fixing method

	Hang Track 2826 - 1.02m (40") 2836 - 2.03m (80") Horizontal track fixed at top of wall
	Fixing kit for Hang Track 2876 - For solid walls 2877 - For drywall / plasterboard (min. 12.5mm)
	Wall Standard 2800 - 30.5cm (12") 2801 - 76.2cm (30") 2804 - 1.22m (48") 2808 - 1.52m (60") 2812 - 2.13m (84") Vertical standard 'hangs' from Hang Track
	Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 30.5cm (12") deep shelf 10 per 40.6cm (16") / 50.8cm (20") deep shelf
	Shelf Bracket 2853 - 30.5cm (12") 2854 - 40.6cm (16") 2855 - 50.8cm (20") Shelf attaches to bracket and 'slots' into wall standard

With the unique **SHELFTRACK™** system, fewer drill holes are required for fixing, less hardware is needed and it can be installed in minutes. It's also adaptable to meet your changing needs without drilling additional holes. Ideal for all applications, especially where adjustable shelf / hanging levels are required. You can go from a child's wardrobe to a teen's wardrobe in just minutes! The **SHELFTRACK™** fixing system can be used with **SUPERSLIDE®**, **LINEN & CLOSEMESH** shelving styles but **not SHELF & ROD**.



SUPERSLIDE® shelving fixed with **SHELFTRACK™**. Three hanging heights for kids' garments and a 7 runner drawer system

SUPERSLIDE® is the recommended style for walk - in wardrobes & dressing rooms**CLOSETMAID** has the solution.

For a truly customised walk - in wardrobe choose **CLOSETMAID**'s® unique **SUPERSLIDE®** shelf style. **SUPERSLIDE®** offers continuous sliding action and hangers can even slide around corners with the corner hanger bar!

To design a walk - in wardrobe layout follow the 'create your own' guide on pages 10 & 11 and the **SUPERSLIDE®** shelving and hardware guide on pages 14 & 15. You will need additional **SUPERSLIDE®** hardware to deal with corners - see below.


A quick & easy 'off the shelf' alternative is to combine a number of organiser kits - see pages 8 & 9.



Double stacked drawer systems



Two tier hanging, shoe shelves & drawer system

Standard fixing method	
	Corner hanger bar - 5649 Use to join two hanger bars at a corner.
	Corner support - 120 Use to support the front edge of two shelves butted together in a corner to create an 'L' shape or 'U' shape layout



▲ **SUPERSLIDE®** walk - in wardrobe with shoe shelves, drawer system and central shelf stack.

Useful accessories to complete your project. Request a consumer product guide for details of the full range of accessories for wardrobe, laundry, utility, kitchen, bathroom and garage.



▲ **1219 - Over the door hanger bar**
Use over the door or screw to the wall.
To suit 38mm (1.5") thick door.



▲ **1099 - Freestanding garment rack**
157.5cm (62") high, 96.5cm (38") wide, 45.7cm (18") deep



▲ **6222 - Hanging basket 43.2cm (17") wide**
Mounts onto all CLOSETMAID® shelving




▲ **1048 - Hanging shelf 61cm (24") wide**
Mounts onto all CLOSETMAID® shelving



▲ **3301 - Valet Rod**
Mounts onto all CLOSETMAID® shelving
Except CloseMesh

Shoe storage / Tie & belt racks




▲ **8111 - Stack & expand shoe rack**
Expands from 63.5cm (25") - 114.3cm (45")
Buy 2 or more to create a shoe rack tower.



▲ **1039 - 9 pair shoe rack**



▲ **8060 - Sliding tie & belt rack**
Mounts onto all CLOSETMAID® shelving - 24 Hooks



▲ **8037 - Expandable shoe rack 2 tier**
Expands from 63.5cm (25") - 114.3cm (45")



▲ **8051 - Tie & belt rack**
Mounts onto door or wall. 27 hooks.



▲ **1008 - Versatile tie & belt rack**
Mounts onto all CLOSETMAID® shelving - 10 Hooks

Storage solutions for every room.
 Drawer systems, pre-pack shelving and wall/door racks.
 Drawer systems provide an excellent way to create your own storage solutions.
 Frame sets are available in 3 heights and 2 widths. Drawers are available in 3 depths.


Step 1 – choose the height of your frame set.



▲ 40004 4 runner frame set.



▲ 40007 7 runner frame set.



▲ 40010 10 runner frame set.

Step 2 – choose the width of your frame set.



- ◀ 61300 33cm / 13" wide Crossbrace set
- ◀ 61700 43cm / 17" wide Crossbrace set

Step 3 – choose the quantity of each drawer size you require.



Single depth
8.3cm 3.25" deep



Double depth
17.8cm 7" deep



Triple depth
28cm 11" deep

- ▲ 51301 33cm / 13" wide
- 6208 43cm / 17" wide




6408 Plastic 43cm/17" wide ▶ Single depth


- ▲ 51302 33cm / 13" wide
- 6209 43cm / 17" wide

- ▲ 51303 33cm / 13" wide
- 6210 43cm / 17" wide

Step 4 – select any accessories you require.



- ◀ 6213 Set of four drawer stops.
2 required per drawer.



- ◀ 6219 33cm / 13" wide Moulded plastic top.
- ◀ 6225 43cm / 17" wide Place on top of frame set



- ◀ 6215 Set of four floor protector caps.



- ◀ 6218 Set of four locking casters for frame set.
Increases overall height of frame set by 11cm (4.5")

Drawer systems - maximise every room with ease.

You can add drawer systems to your wardrobe layout or use in the airing cupboard, utility room, for toy storage in the kid's room or even in the kitchen larder. Add a set of locking casters for positional flexibility or a moulded plastic top to create extra storage on top of your system. When choosing your drawer configuration please remember that:-

- ▶ one single depth drawer occupies one runner
- ▶ one double depth drawer occupies two runners
- ▶ one triple depth drawer occupies three runners.

Frame sets can be stacked* on top of each other using a unique interlocking design to create taller systems. *Recommended maximum of 2. Just follow the 4 easy steps shown on the left and you're ready to buy!




10 runner frame set with 5 double drawers

Pre-pack shelving – complete with all installation hardware.



30.5cm 12" deep

- ◀ 1021 61cm / 2' wide shelf
- ◀ 1031 91.5cm / 3' wide shelf
- ◀ 1041 122cm / 4' wide shelf
- ◀ 1061 183cm / 6' wide shelf



40.6cm 16" deep

- ◀ 1075 61cm / 2' wide shelf
- ◀ 1077 91.5cm / 3' wide shelf
- ◀ 1079 122cm / 4' wide shelf
- ◀ 1081 183cm / 6' wide shelf

Wall / door racks - feature CLOSEMESH wire for small items.



12.7cm / 5" deep

- ◀ 8002 2 tier 26.7cm / 10.5" high
31.8cm / 12.5" wide
- ◀ 8022 3 tier 47cm / 18.5" high
47.6cm / 18.75" wide
- ◀ 8024 3 tier 47cm / 18.5" high
31.8cm / 12.5" wide
- ◀ 8033 4 tier 65.4cm / 25.75" high
47.6cm / 18.75" wide
- ◀ 8042 8 tier 183cm / 72" high
31.8cm / 12.5" wide
- ◀ 8044 8 tier 183cm / 72" high
47.6cm / 18.75" wide



17.1cm / 6.75" deep

- ◀ 1222 Over the door 3 tier
81.9cm / 32.25" high
47cm / 18.5" wide

Storage solutions for the laundry / utility room. LINEN shelving and drawer systems are an effective way to organise just about anything you have in your laundry / utility. CLOSETMAID has the solution.

7 easy steps to create your LINEN installation:-

- 1 **Measure your space** - side to side (width), floor to ceiling (height) & front to back (depth).
- 2 **Choose your shelf depth** - 22.9cm (9")*, 30.5cm (12"), 40.6cm (16"), 50.8cm (20").
- 3 **Choose fixing method** - 'standard' or 'adjustable' **SHELFTRACK™** - see page 7.
- 4 **Design your layout** - design your own layout - see pages 10 & 11.
- 5 **Select components** - calculate the quantity of shelves and fixing hardware required for your layout.
- 6 **Buy** - CLOSETMAID® products are supplied directly to your home. Simply complete the enclosed order form and then fax or mail it to us and sit back! Your order will normally be delivered within ten working days – and we will even agree a convenient delivery date with you so you don't waste any time!
- 7 **Install** - Each CLOSETMAID® system comes with a comprehensive guide to easy installation. But if DIY is not your style just ask about our installation service. * 22.9cm (9") deep shelving - standard fixing only.

Standard fixing method	
	Wall clip - 991 Use to fix the rear edge of the shelf to the wall. Position a clip 5cm (2") from each end of shelf, then additional clips evenly spaced no more than 30.5cm (12") apart
	Wall bracket - 974 Use to attach any shelf to a side wall
	Shelf support bracket 1162 - 22.9cm (9") 1164 - 30.5cm (12") 1166 - 40.6cm (16") 1180 - 50.8cm (20") Use to support the shelf every 91.5cm (3') along its length & at the end of any shelf not attached to a side wall (open end)
	Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 22.9cm (9") / 30.5cm (12") deep shelf 10 per 40.6cm (16") / 50.8cm (20") deep shelf
	Shelf support pole - 1009 Use to install a stack of 3 or more shelves OR to support the end of shelves not attached to a side wall as an alternative to shelf support brackets. Pole is 2.16m (85") long and supplied with hardware for six shelf positions
	Corner support - 120 Use to support the front edge of two shelves butted together in a corner to create an 'L' shape or 'U' shape layout

SHELF TRACK

Adjustable SHELFTRACK™ fixing method	
	Hang Track 2826 - 1.02m (40") 2836 - 2.03m (80") Horizontal track fixed at top of wall
	Fixing kit for Hang Track 2876 - For solid walls 2877 - For drywall / plasterboard (min. 12.5mm)
	Wall Standard 2800 - 30.5cm (12") 2801 - 76.2cm (30") 2804 - 1.22m (48") 2808 - 1.52m (60") 2812 - 2.13m (84") Vertical standard 'hangs' from Hang Track
	Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 30.5cm (12") deep shelf 10 per 40.6cm (16") / 50.8cm (20") deep shelf
	Shelf Bracket 2853 - 30.5cm (12") 2854 - 40.6cm (16") 2855 - 50.8cm (20") Shelf attaches to bracket and 'slots' into wall standard



▲ LINEN shelving installed using 'standard' fixing method.

LINEN (upper level) & SHELF & ROD (lower level) shelving used together to create a hanging & shelving solution in the laundry/ utility. Shown using 'standard' fixing method wall to wall. EVERY ROOM drawer systems can be added to a layout if required.



30.5cm (12")		50.8cm (20")	
LINEN 22.9cm (9") deep		LINEN 40.6cm (16") deep	
73104	- 1.22m (4') length	73204	- 1.22m (4') length
73106	- 1.83m (6') length	73206	- 1.83m (6') length
73108	- 2.44m (8') length	73208	- 2.44m (8') length
731012	- 3.66m (12') length	732012	- 3.66m (12') length
LINEN 30.5cm (12") deep		LINEN 50.8cm (20") deep	
73154	- 1.22m (4') length	73254	- 1.22m (4') length
73156	- 1.83m (6') length	73256	- 1.83m (6') length
73158	- 2.44m (8') length	73258	- 2.44m (8') length
731512	- 3.66m (12') length	732512	- 3.66m (12') length


Storage solutions for the kitchen. **CLOSEMESH** shelving and drawer systems are an effective way to organise just about anything you have in your pantry / larder.. **CLOSETMAID** has the solution.

7 easy steps to create your CLOSEMESH installation:-

- 1 **Measure your space** - side to side (width), floor to ceiling (height) & front to back (depth).
- 2 **Choose your shelf depth** - 30.5cm (12"), 40.6cm (16"), 50.8cm (20").
- 3 **Choose fixing method** - 'standard' or 'adjustable **SHELFTRACK™**' - see page 7.
- 4 **Design your layout** - design your own layout - see pages 10 & 11.
- 5 **Select components** - calculate the quantity of shelves and fixing hardware required for your layout.
- 6 **Buy** - **CLOSETMAID®** products are supplied directly to your home. Simply complete the enclosed order form and then fax or mail it to us and sit back! Your order will normally be delivered within ten working days – and we will even agree a convenient delivery date with you so you don't waste any time!
- 7 **Install** - Each **CLOSETMAID®** system comes with a comprehensive guide to easy installation. But if DIY is not your style just ask about our installation service.


Standard fixing method	
	Wall clip - 991 Use to fix the rear edge of the shelf to the wall. Position a clip 5cm (2") from each end of shelf, then additional clips evenly spaced no more than 30.5cm (12") apart.
	Wall bracket - 974 Use to attach any shelf to a side wall.
	Shelf support bracket 1164 - 30.5cm (12") 1166 - 40.6cm (16") 1180 - 50.8cm (20") Use to support the shelf every 91.5cm (3') along its length & at the end of any shelf not attached to a side wall (open end)
	Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 30.5cm (12") deep shelf 10 per 40.6cm(16") / 50.8cm(20") deep shelf
	Shelf support pole - 1009 Use to install a stack of 3 or more shelves OR to support the end of shelves not attached to a side wall as an alternative to shelf support brackets. Pole is 2.16m (85") long and supplied with hardware for six shelf positions.
	Corner support - 120 Use to support the front edge of two shelves butted together in a corner to create an 'L' shape or 'U' shape layout

SHELF TRACK

Adjustable SHELFTRACK™ fixing method	
	Hang Track 2826 - 1.02m (40") 2836 - 2.03m (80") Horizontal track fixed at top of wall
	Fixing kit for Hang Track 2876 - For solid walls 2877 - For drywall / plasterboard (min. 12.5mm)
	Wall Standard 2800 - 30.5cm (12") 2801 - 76.2cm (30") 2804 - 1.22m (48") 2808 - 1.52m (60") 2812 - 2.13m (84") Vertical standard 'hangs' from Hang Track
	Plastic end cap - 203 Use to cap wires on both ends of each shelf. 8 per 30.5cm (12") deep shelf 10 per 40.6cm (16") / 50.8cm (20") deep shelf
	Shelf Bracket 2853 - 30.5cm (12") 2854 - 40.6cm (16") 2855 - 50.8cm (20") Shelf attaches to bracket and 'slots' into wall standard



▲ **CLOSEMESH** shelving installed using 'adjustable **SHELFTRACK™**' fixing method.



CLOSEMESH 30.5cm (12") deep	
74024	- 1.22m (4') length
74026	- 1.83m (6') length
74028	- 2.44m (8') length
740212	- 3.66m (12') length

CLOSEMESH 40.6cm (16") deep	
73184	- 1.22m (4') length
73186	- 1.83m (6') length
73188	- 2.44m (8') length
731812	- 3.66m (12') length

CLOSEMESH 50.8cm (20") deep	
74034	- 1.22m (4') length
74036	- 1.83m (6') length
74038	- 2.44m (8') length
740312	- 3.66m (12') length



CLOSEMESH shelving installed using 'standard' fixing method wall to wall. EVERY ROOM drawer systems can be added to a layout for vegetable storage etc.



Organise My Home®

Authorised  CLOSETMAID® retailer

is an authorised retailer for CLOSETMAID® products in the UK.
CLOSETMAID® is a registered trademark of the CLOSETMAID Corporation®.

Come and visit our showroom

at

Unit 6 Archers Park, Branbridges Road, East Peckham, Tonbridge,
Kent, TN12 5HP

(see website for directions & map)

Visits can be arranged Monday to Saturday by appointment **only**
Call 01622 872006 to arrange an appointment now

UK Contact

Telephone: 01622 872006

Facsimile: 01622 872744

Web: <http://www.organisemyhome.com>

E-mail: sales@organisemyhome.com

Mail: Unit 6 Archers Park, Branbridges Road, East Peckham, Tonbridge, TN12 5HP,
England.